



SCOPE OF ACCREDITATION TO ISO/IEC 17025:2017

FOOD SAFETY NET SERVICES
 1073 W 1700 N
 Logan, UT 84321
 Amanda Farrens Phone: 402 906 9606
 Amanda.Farrens@FSNS.com

BIOLOGICAL

Valid To: December 31, 2027

Certificate Number: 1698.22

In recognition of the successful completion of the A2LA evaluation process (including an assessment of the laboratory’s compliance with A2LA’s R204 – *Specific Requirements – AOAC Laboratory Accreditation Program*, containing the 2024 “*AOAC International Guidelines for Laboratories Performing Microbiological and Chemical Analyses of Food, Dietary Supplements, Pharmaceuticals, and Cannabis*”), accreditation is granted to this laboratory to perform the following tests on foods, pet food, beverages, feeds, bread, butter, cheese, cocoa, eggs, seafood, fruits, mayonnaise and dressings, ice cream, meat & oils, milk, nuts, spices, sugars, vegetables, water, and environmental swabs:

Quantitative Test Method	Method SOP	Reference Method(s)
Compendium	6602, 3.1	Compendium Chapter 13 (Psychrotrophic Plate Count)
	6600, 2.1	Compendium Chapter 7 (Anaerobic Plate Count)
Cultural Confirmation	78611, 4.1	FDA-BAM Chapter 10 (<i>Listeria monocytogenes</i>)
	7859, 13.1	FDA-BAM Chapter 5 (<i>Salmonella spp.</i>)
	7863, 14.2	USDA MLG Chapter 8, 8A (<i>Listeria monocytogenes</i>)
	7860, 13.2	USDA MLG Chapter 4, 4C (<i>Salmonella spp.</i>)
ELFA (VIDAS) Analysis	10058, 32.2	AOAC 2011.03 (<i>Salmonella Easy</i>)
	10058, 33.1	AOAC 2004.02 (<i>Listeria monocytogenes</i>)
	10058, 34.3	AOAC 2013.10 (<i>Listeria spp. UP</i>)
	10058, 34.1	AOAC 2004.06, AOAC RI 981202 (<i>Listeria Spp.</i>)
ISP	8718, 20.2	ISO - 13720:2010 (<i>Pseudomonas spp. Presumptive Count</i>)

Quantitative Test Method	Method SOP	Reference Method(s)
PCR-BAX	12.8	AOAC-RI 091301 (Non <i>E. coli</i> O157 STEC RT)
	12.10	AOAC-RI 031002 (<i>E. coli</i> O157:H7 RT)
	13.18	AOAC 2013.09, AOAC-RI 100201 (<i>Salmonella</i> 2)
	13.19	AOAC 2013.02, AOAC-RI 081201, USDA MLG Chapter 4 (<i>Salmonella</i> spp. RT)
	14.9	AOAC-RI 030502 (<i>Listeria</i> spp.)
	14.15	AOAC-RI 050903 (<i>Listeria</i> spp. 24E)
	14.17	AOAC-RI 081401 (<i>Listeria</i> spp. RT)
	10049, 14.8	AOAC 2003.12, AOAC-RI 070202 (<i>Listeria monocytogenes</i>)
3M Petrifilm™	6595, 1.3	AOAC 986.33, 989.10, 990.12 (Aerobic Plate Count)
	8722, 25.1	AOAC 2003.01 (Enterobacteriaceae Count)
	7849, 7.4	AOAC 989.10, 991.14, 998.08 (<i>Escherichia coli</i> and Coliform)
	6590, 1.14	AOAC-RI 041701 (Lactic Acid Plate Count)
	6612, 4.3	AOAC 997.02 (Yeast and Mold Count)
SMEWW	6599, 1.7	APHA 9215 A (Heterotrophic Plate Count)

KEY:

AOAC = Association of Official Analytical Chemists International

AOAC-RI = Association of Official Analytical Chemists International – Research Institute

USDA MLG = United States Department of Agriculture – Microbiological Laboratory Guidebook



Accredited Laboratory

A2LA has accredited

FOOD SAFETY NET SERVICES

Logan, UT

for technical competence in the field of

Biological Testing

This laboratory is accredited in accordance with the recognized International Standard ISO/IEC 17025:2017 *General requirements for the competence of testing and calibration laboratories*. This laboratory also meets the requirements of A2LA R204 – *Specific Requirements – AOAC Laboratory Accreditation Program*. This accreditation demonstrates technical competence for a defined scope and the operation of a laboratory quality management system (*refer to joint ISO-ILAC-IAF Communiqué dated April 2017*).



Presented this 15th day of December 2025.

A blue ink signature of Trace McInturff, written over a horizontal line.

Mr. Trace McInturff, Vice President, Accreditation Services
For the Accreditation Council
Certificate Number 1698.22
Valid to December 31, 2027

For the tests to which this accreditation applies, please refer to the laboratory's Biological Scope of Accreditation.