SCOPE OF ACCREDITATION TO ISO/IEC 17025:2017

FOOD SAFETY NET SERVICES, WISCONSIN, LLC
3400 S Packerland Drive, Suite 102
De Pere, WI 54115
Amanda Farrens Phone: 402 906 9606
Mandi.Farrens@FSNS.com

BIOLOGICAL

Valid To: September 30, 2028 Certificate Number: 1698.04

In recognition of the successful completion of the A2LA evaluation process (including an assessment of the laboratory's compliance with the A2LA's *R204 – Specific Requirements – AOAC Laboratory Accreditation Program*, containing the 2024 "*AOAC International Guidelines for Laboratories Performing Microbiological and Chemical Analyses of Food, Dietary Supplements, Pharmaceuticals, and Cannabis*"), accreditation is granted to this laboratory to perform the following tests on foods, pet foods, beverages, bread, butter, cheese, cocoa, eggs, feeds, fruits, ice cream, mayonnaise and dressings, meat, oils, milk, nuts, seafood, spices, sugars, vegetables, water, and environmental swabs:

Quantitative Test Method	Method SOP(s)	Reference Method(s)
Neogen Petrifilm	6595 / 1.3	AOAC 990.12, 986.33, 989.10, USDA MLG Chapter 3 (Aerobic Plate Count)
	6590 / 1.14	AOAC-RI 041701 (Lactic Acid Bacteria)
	6612 / 4.3	AOAC 997.02 (Yeast and Mold)
	6613 / 4.6	AOAC-RI 121301 (Rapid Yeast and Mold)
	7854 / 11.3	AOAC 2003.07, 2003.08, 2003.11 (*Staphylococcus aureus*)
	8722 / 25.1	AOAC 2003.01 (Enterobacteriaceae)
	7813 / 7.6	AOAC-RI 051801, AOAC OMA 2018.13 (Rapid *E,coli* – Coliform PF)
	6597 / 1.5	AOAC 2015.13 (Rapid Aerobic Plate Count)
Compendium	6600 / 2.1	Compendium Chapter 7 (Anaerobic Plate Count)
	7820 / 9.1	Compendium Chapter 19 (Lactic Acid Bacteria)
	9035 / 50.2	Compendium Chapter 47 (*Streptococcus thermophilus* in Yogurt)
FDA-BAM	6586 / 1.1	FDA-BAM Chapter 3 (Aerobic Plate Count)

FDA-BAM	7806 / 7.1	FDA-BAM Chapter 4 (*E. coli* and Coliform MPN)
	7853 / 11.1	FDA-BAM Chapter 12 (*S. aureus*)
	6604 / 4.1	FDA-BAM Chapter 18 (Yeast and Mold)

Qualitative Platform	**Method SOP(s)**	**Reference Method(s)**
Neogen Molecular Detection Assay Analysis	7824 / 12.12	AOAC 2017.01 (*E. coli* O157:H7)
	7832 / 13.20	AOAC 2016.01 (*Salmonella* spp.)
	7864 / 14.24	AOAC 2016.08, AOAC-RI 081501 (*Listeria monocytogenes*)
BioRad iQ-Check Analysis	10051 / 12.18	AOAC-RI 020801 (*E. coli* O157:H7)
	10051 / 36.7	AOAC-RI 121203 (STEC VirX and SerO II)
	10051 / 13.26	AOAC 2017.06, AOAC-RI 010803 (*Salmonella* II)
	10051 / 14.20	AOAC-RI 090701 (*Listeria* spp.)
	10051 / 14.29	AOAC-RI 010802 (*L. monocytogenes*)
Cultural Confirmation	7858 / 12.4	USDA MLG Chapter 5, 5A (*E. coli* O157:H7)
	7856 / 12.11	USDA MLG Chapter 5B (Non-*E. coli* O157:H7 STEC
	7859 / 13.1	FDA-BAM Chapter 5 (*Salmonella* spp.)
	7860 / 13.2	USDA MLG Chapter 4, 4C (*Salmonella* spp.)
	7861 / 14.1	FDA-BAM Chapter 10 (*L. monocytogenes*)
	7863 / 14.2	USDA MLG Chapter 8, 8A (*L. monocytogenes*)
ELFA (VIDAS) Analysis	10058 / 32.1	AOAC 2004.03 (*Salmonella* spp.)
	10058 / 32.2	AOAC 2011.03 (EZ *Salmonella* spp.)
	10058 / 32.3	AOAC 2013.01, AOAC-RI 071101 (*Salmonella* spp. UP)
	10058 / 33.1	AOAC 2004.02 (*L. monocytogenes*)
	10058 / 34.1	AOAC 2004.06, AOAC-RI 981202 (*Listeria* spp.)
	10058 / 34.3	AOAC 2013.10 (*Listeria* spp. UP)

Qualitative Platform	Method SOP(s)	Reference Method(s)
GDS Analysis	10054 / 36.5	AOAC 2005.04 (*E. coli* O157:H7 Tq)
	10054 / 38.2	AOAC 2009.03 (*Salmonella* spp. Tq)
GENE-UP Analysis	10056 / 38.2	AOAC-RI 022203 (Pathogenic *E.coli* (PEC))
ISO	8718 / 20.2	ISO 13720 (*Pseudomonas* spp.)
PCR-BAX Analysis	10049 / 12.8	AOAC-RI 091301, USDA MLG Chapter 5 (Non-*E. coli* O157 STEC RT)
	10049 / 12.10	AOAC-RI 031002, USDA MLG Chapter 5 (*E. coli* O157:H7 RT)
	10049 / 12.17	AOAC-RI 102003 (*E. coli* O157:H7 RT EXACT)
	10049	AOAC-RI 032602 (*E. coli* O157:H7 RT EXACT+S)
	10049 / 13.18	AOAC 2003.09, AOAC-RI 100201, USDA MLG Chapter 4 (*Salmonella* spp. 2)
	10049 / 13.19	AOAC 2013.02, AOAC-RI 081201, USDA MLG Chapter 4 (*Salmonella* spp. RT)
	10049 / 14.8	AOAC 2003.12, AOAC-RI 070202 (*L. monocytogenes*)
	10049 / 14.9	AOAC-RI 030502 (*Listeria* spp.)
	10049 / 14.16	AOAC-RI 121402 (*L. monocytogenes* RT)
	10049 / 14.17	AOAC-RI 081401 (*Listeria* spp. RT)
	10049 / 51.1	Hygiena (*Cronobacter sakazakii*)

Key:
FDA-BAM = Food and Drug Administration – Bacteriological Analytical Manual
AOAC = Association of Official Analytical Collaboration
Compendium = Compendium of Methods for the Microbiological Examination of Foods
USDA MLG = United States Department of Agriculture – Microbiological Laboratory Guidebook

Accredited Laboratory

A2LA has accredited

FOOD SAFETY NET SERVICES, WISCONSIN, LLC.

De Pere, WI

for technical competence in the field of

Biological Testing

This laboratory is accredited in accordance with the recognized International Standard ISO/IEC 17025:2017 *General requirements for the competence of testing and calibration laboratories*. This laboratory also meets the requirements of A2LA *R204 – Specific Requirements – AOAC Laboratory Accreditation Program*. This accreditation demonstrates technical competence for a defined scope and the operation of a laboratory quality management system (*refer to joint ISO-ILAC-IAF Communiqué dated April 2017*).

Presented this 25th day of June 2026.

Mr. Trace McInturff, Vice President, Accreditation Services
For the Accreditation Council
Certificate Number 1698.04
Valid to September 30, 2028

For the tests to which this accreditation applies, please refer to the laboratory's Biological Scope of Accreditation.